



**TO WHOM SO EVER IT MAY CONCERN**

**Technical Data Sheet**

**PRODUCT NAME** : ANTISTATICS  
**PRODUCT CODE/LOT NO.** : P041/2274561  
**APPLICATION** : SHEET EXTRUSION

**PROCESS ANALYSIS :**

<i>SR.NO.</i>	<i>PROLLDPERTIES</i>	<i>METHOD</i>	<i>RESULTS</i>
01	CARRIER RESIN	--	PE
02	PELLET SHAPE	--	Cylindrical
03	M.F.I (190 <sup>0</sup> C, 2.16 Kg.)	ASTMD-1238/ IS: 13360 (Pt.4/Sec-1)	>100 gm/10mint
04	SPECIFIC GRAVITY	ASTMD792/ IS13360(Pt.3/Sec-1)	0.93 g/cm <sup>3</sup>
05	MOISTURE CONTENT	--	< 0.1%
06	ACTIVE CONTENT	--	15%
07	TYPE OF ADDITIVE	--	GLYCEROL MONOSTEARATE
08	DISPERSION	VISUAL	Excellent
09	TOXICITY	--	Non -Toxic
10	ODOUR	--	Odorless
11	PELLET SIZE	mm	2.5 mm
12	PELLET COUNT	No'S/1gm	100±5
13	BULK DENSITY	GM/CC	0.57

**For Prayag Polytech (P) Ltd.**

  
Technical Manager

The above details are given to the best of our knowledge and experience but are only meant as suggestion without obligation.

**P R A Y A G P O L Y T E C H ( P ) L T D .**

**Head Office** : 1106, Vikram Tower, 16, Rajendra Place . New Delhi-110 008 (INDIA)  
Tel. : #91+11-47262000 Fax : #91-11-47262020, E-mail : prayagdel@gmail.com : [www.prayagmb.com](http://www.prayagmb.com)

**Works & Registered Office** : C-587, Industrial Area, Bhiwadi – 301019 Distt. Alwar (Rajasthan)  
Tel. : 01493- 224482, 511131 Fax : 01493-224483 E-mail : prayagpolytech@gmail.com